

SAFETY DATA SHEET (SDS)

| | |
|--------------------|---------|
| SDS Nr. | 401000 |
| Issue Date | 11/2016 |
| Revision Date | 11/2016 |
| Next Revision Date | 11/2021 |

SECTION 1.

COMPANY IDENTIFICATION & PRODUCT INFORMATION

| | |
|--------------------------------------|------------------------|
| COMPANY: IN LINE TRADING 112 Pty Ltd | Tel: +27 (11) 392 4072 |
| Postnet Suite #114 | Fax: +27 (11) 392 4363 |
| Private Bag X27 | |
| KEMPTON PARK | |
| Gauteng Province | |
| South Africa | |

| | |
|------------------------|-------------------|
| EMERGENCY PHONE NUMBER | +27 (82) 468 3878 |
|------------------------|-------------------|

| | |
|--------------------|--------------------------------------|
| NAME USED ON LABEL | Amino Gluconate A Vue, AG A Vue |
| SYNONYMS | Liquid Nutrient For Agricultural Use |
| PRODUT USE: | Fertilization |
| UN Nr. | 1805 |

SECTION 2.

HAZARDOUS IDENTIFICATION

| | |
|-----------------|--|
| GHS (Pictogram) | Protective Clothing |
| |  |

Signal Word **WARNING**

| HAZARD CLASS | HAZARD CATEGORY |
|------------------------|-----------------|
| Acute Toxicity, Oral | Category 5 |
| Eye Irritation | Category 2B |
| Serious Eye Irritation | Category 2A |

| GHS Hazard Statement |
|---|
| H332 – Harmful if inhaled H320 – Causes Eye Irritation. H303 – May be harmful if swallowed |
| GHS Precautionary Statement |
| P264 – Wash hands thoroughly after handling P280 – Wear protective gloves/clothing. P102 – Keep out of reach of children. P101 – If medical advice is needed, have product container or label at hand. |

| | |
|---|---|
| INHALATION EXPOSURE | May Cause irritation to mucous membranes |
| INGESTION | Corrosive to gastrointestinal track. Seek immediate medical advise |
| SKIN CONTACT | Cause skin burns. Wash with running water |
| EYE CONTACT | Very Corrosive to the eye. Wash with running water. Seek immediate medical advise |
| CHRONIC (PROLONGED) EXPOSURE | No information available |
| AGRIVATING CONDITIONS WITH COMBINATIONS | No information available |

SECTION 3.
COMPOSITION & INFORMATION ON INGREDIENTS

| Identity | CAS-No. | % w/w | Symbol |
|---------------------------|----------------|--------------|---------------|
| Non Disclosed Ingredients | | 66 – 74 | Xn |

Ingredients not identified are confidential or non hazardous. Values on MSDS are not product specifications

SECTION 4.
FIRST AID MEASURES

| | |
|--------------|--|
| IF IN HALLED | Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Do NOT give mouth-to-mouth resuscitation if the victim ingested the substance. If breathing is labored give oxygen. Keep the victim at rest and warm. Obtain immediate medical advice |
| IF SWALLOWED | If the victim is alert and not convulsing, give |

| | |
|------------|--|
| | the person ½ to one full glass of water to rinse the mouth with. Do not induce vomiting, unless under direction of a physician or a poison control center expert. If spontaneous vomiting occurs, have the victim lean forward with the head down to avoid breathing in of vomit, rinse mouth and administer water. Transport the victim immediately to an emergency facility. |
| IF ON SKIN | Flushing the skin with running water. If irritation persists repeat rinse. Seek medical advice if required. |
| IF IN EYES | Immediately flush eyes with running water for a minimum of 15 minutes. Hold eyelids open during flushing. Seek medical advice immediately. |

MEDICAL ADVICE: Symptomatic treatment and supportive therapy as indicated above

SECTION 5.

FIRE FIGHTING MEASURES

| | |
|---------------------------------------|----------------------|
| AUTO IGNITION TEMPERATURE (°C) | Not Flammable |
| FLASH POINT (°C) | No Flash |

| | |
|--------------------------|---|
| EXSTINGUISHING MEDIA | For small fires, use foam, carbon dioxide or dry powder extinguishant. For large fires use foam or water-fog; avoid using water jet. Contain run-off with barriers, e.g. earth. |
| FIRE & EXPLOSION HAZARDS | The product is very difficult to combust, but can be burned. Keep fire exposed containers cool by spraying with water. Container could explode when heated. |
| PROTECTIVE EQUIPMENT | Wear full protective clothing and NIOSH-approved self-contained breathing apparatus. Fire might produce irritating or poisonous vapors, mists or other combustion products. |

SECTION 6.

ACCIDENTAL RELEASE MEASURES

| | |
|----------------------|---|
| PERSONAL PRECAUTIONS | Ventilate area of spill or leak. Ensure suitable personal protection during removal of spills. Wear eye protection, chemically resistant gloves, boots and coveralls. |
| CLEANING METHODS | Absorb spillages onto sand, earth or any suitable absorbent material. Transfer to a container for disposal. Wash the spillage |

| | |
|------------------------|---|
| | area with water. Washing must be prevented from entering surface water drains. Seal drums and dispose of contaminated material in a facility permitted for hazardous waste. Large spills should be handled according to a spill remediation plan. |
| DEACTIVATING CHEMICALS | None Known |
| ADDITIONAL INFORMATION | Spillages or uncontrolled discharges into water sources must be alerted to the appropriate regulatory body. |

SECTION 7.
HANDLING AND STORAGE

| | |
|----------------------|---|
| SAFE HANDLING | Practice good industrial housekeeping practices |
| STORAGE REQUIREMENTS | Store in original containers with lid closed. Keep in cool and dry area. Protect the containers from physical damage. |
| STORAGE TEMPERATURE | Do not expose sealed containers to temperatures exceeding 48°C |

SECTION 8.
EXPOSURE CONTROL/PERSONAL PROTECTION

| | |
|---------------------|--|
| VENTILATION CONTROL | Dilution ventilation is a satisfactory health hazard control. Where discomfort is caused to workers, a local exhaust system should be installed. Special Precautions: Avoid breathing vapors or aerosols for prolonged periods. |
| EYE PROTECTION | Eye contact with the material should be avoided through the use of chemical safety glasses, goggles or face shields. Maintain eye wash fountain and quick drench facilities in work areas |
| SKIN PROTECTION | Gloves and protective clothing made from Viton or PVC should be used. Verify impermeability under normal usage conditions. |

SECTION 9.
PHYSICAL & CHEMICAL PROPERTIES

| | |
|-----------------------|----------------|
| FORM | Liquid |
| COLOUR | Clear to Dark |
| ODOUR | Slight Acidic |
| BOILING POINT (°C) | +/- 100 |
| MELTING POINT (°C) | Not Applicable |
| VAPOR PRESSURE (mmHg) | Not Available |

| | |
|---------------------------------------|--------------------|
| SPECIFIC GRAVITY (g/cm ³) | 1.00 – 1.45 (20°C) |
| SOLUBILITY | Soluble in water |
| FLASH POINT (°C) | No Flash |
| pH-Value | Strong Acidic |
| EXPLOSIVE PROPERTIES | Non-Explosive |

SECTION 10.
STABILITY & REACTIVITY

| | |
|--------------------------|---|
| STABILITY | Stable under normal storage and usage conditions |
| INCOMPATIBILITY | Strong Oxidizing agents. Can be made to burn under fire conditions. |
| HAZARDOUS POLYMERISATION | Will not occur |
| HAZARDOUS DECOMPOSITION | Carbon Dioxide, Carbon Monoxide, and possibly irritating gases may form |
| CONDITIONS TO AVOID | Heat, flames, ignition sources and incompatibles |
| THERMAL DECOMPOSITION | Toxic fumes may be released when decomposed by heating. |

SECTION 11.
TOXICOLOGICAL INFORMATION

| | |
|-------------------------------|---|
| ORAL LD50 (Rat) | <1500 mg/Kg |
| DERMAL LD50 (Rabbit) | <2800 mg/Kg |
| INHALATION LD50 (Rat) | None Available |
| OTHER EFFECTS OF OVEREXPOSURE | CNS depression is characterized by headache, dizziness, drowsiness, nausea, vomiting and incoordination. Severe overexposure may lead to comma and possible death due to respiratory failure. |
| CARCINOGENIC EFFECTS | Not Carcinogenic |
| REPRODUCTIVE TOXICITY | No data available |

SECTION 12.
ECOLOGICAL INFORMATION


| | |
|------------------------|---|
| ENVIRONMENTAL FATE | The product is soluble in water and easily bio-degradable. It is not expected to accumulate in the environment. |
| ENVIRONMENTAL TOXICITY | No information available |

SECTION 13.
DISPOSAL CONSIDERATIONS

| |
|---|
| Dispose contaminated absorbents, surplus product, etc. in a facility permitted for hazardous waste. Surfactants can cause foaming problems in biological wastewater treatment plants. |
| Empty containers should be rinsed and disposed of in accordance to local waste disposal |

legislation. Do not reuse containers

SECTION 14.
TRANSPORT INFORMATION

| | |
|---------------------------------|---|
| UN number | UN1805 |
| Shipping name | Corrosive Liquid |
| ADR/RID Class IATA-DGR Class | Class 8 Corrosive liquid |
| ADR/RID Label |  |

SECTION 15.
REGULATORY INFORMATION

| | |
|-----------------------|--|
| NATIONAL LEGISLATIONS | National Road Traffic Act, 1996 (Act 93 of 1996) Fire Brigade Service Act, 1987 (Act 99 of 1987) Occupational Health & Safety Act, 1993 (Act 85 of 1993) |
|-----------------------|--|

SECTION 16.
OTHER INFORMATION

The Information contained in this SDS is offered as a guide to handle specific material and is based on the current scientific and technical knowledge at the date indicated on the present SDS. This information is provided in good faith and believed to be accurate and correct. This information is not intended to be all inclusive and the manner and conditions of use and handling may involve other additional considerations. No warranty of any kind is given or implied by IN LINE TRADING and IN LINE TRADING will not be liable for any damages, injuries or consequential damages which may result from the use of or reliance on any information contained herein. It remains the responsibility of persons in receipt of this SDS to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with this product. Upon receipt of any changes a new SDS will be made available

This SDS is prepared and maintained by: IN LINE TRADING