



CHELAG™

ACTIVE INGREDIENTS :


Calcium (Ca) 253 g/kg
 Magnesium (Mg)30 g/kg
 Boron (B)30 g/kg

**USAGE: Use only as directed
 PRECAUTIONS & STORAGE**

Store in a well-sealed original container away from direct sunlight. Store in a dry place away from excessive moisture. Keep out of reach from children, uninformed people, animals and foodstuffs. Wash hands after use.

DIRECTIONS FOR USE :

Do not apply the **CHELAG** when the crop is under moisture stress. Application after irrigation or rainfall is best. Dissolve **CHELAG** in a convenient amount of water. Water buffered with an acidifier between pH 4 and pH 5 is recommended to increase the **CHELAG** solubility. Do not use phosphoric acid based or sulphuric acid based products, they will form insoluble salts with **CHELAG**. The use of HIDROBUFF is recommended for use with **CHELAG** due to the fact that it was developed to work hand in hand with **CHELAG** and does not have any detrimental acids. Wetters may be used with **CHELAG**. Use a convenient amount of spray water consistent with the type of applicator used, and apply constant agitation to achieve uniform coverage with little or no run-off. Spray nozzles should produce a fine mist. Spraying should preferably be carried out on a calm day but not during extensive heat. Early morning or late afternoon applications are best.



COMPATIBILITY

CHELAG is compatible with most agricultural products and most fertilizers. **CHELAG** is not compatible with Calcium containing products in liquid blends. Never mix **CHELAG** with alkaline materials including Bordeaux mixtures and lime sulphur . It is advisable to do a miscibility test prior to mixing of **CHELAG** with other products.

GENERAL

Consult with a qualified agronomist for crop specific information. **CHELAG** should preferably be applied based on recommendations derived from soil and/or foliar analysis.

CROP	RATE PER HECTARE	RATE PER 100 L	REMARKS
Subtropical Trees: Citrus, Avocado, Litchi, Mango, Guava	5 kg – 15 kg	500 g – 3 kg	<ul style="list-style-type: none"> • This product should be applied at the applicable physiological growth stage of every crop. • Apply this product when Calcium (Ca) deficiencies are visible or expected to occur. • This product should only be applied as directed / prescribed by a qualified advisor. • It is advisable to do a miscibility test prior to mixing with other chemicals.
Tropical Trees: Papaya, Banana	2.5 kg – 15 kg	500 g – 3 kg	
Nut Trees: Macadamia, Pecan, Pistachio, Cashew	5 kg – 15 kg	500 g – 3 kg	
Pome Trees: Apple, Pear, Quince	5 kg – 15 kg	500 g - 3 kg	
Stone Trees: Peach, Plum, Nectarine, Apricot, Cherry	5 kg - 10 kg	500 g - 2 kg	
Shrubs & Other Trees: Olive, Pomegranate, Cotton, Young & Blue Berries, Coffee, Pineapple, Tobacco	2.5 kg - 5 kg	500 g - 1.5 kg	
Vines: Table Grape, Wine Grape, Raisin Grape, Hops, Kiwi, Granadilla	2.5 kg - 5 kg	500 g - 2 kg	
Root Vegetables: Beetroot, Carrot, Turnip, Chicory, Ginger	1 kg - 5 kg	500 g - 2.5 kg	
Bush & Creeping Vegetables: Tomato, Pepper, Cucurbits, Strawberry	2.5 kg - 5 kg	500 g - 2.5 kg	
Leaf Vegetables: Spinach, cruciferous, Celery, Asparagus, Lettuce	1 kg - 5 kg	500 g - 2.5 kg	
Tuber Vegetables: Potato, Onion, Yam	2.5 kg - 5 kg	500 g - 2.5 kg	
Bulb Vegetables: Onion, Garlic	2.5 kg - 5 kg	500 g - 2.5 kg	
Beans: Soya, Dry, Green, Peanut, Lupine	1 kg - 5 kg	500 g - 2.5 kg	
Summer Grains: Maize, Sorghum, Sweet Corn, Silage	1 kg - 5 kg	500 g - 2.5 kg	
Winter Grains: Wheat, Oats, Barley	1 kg - 5 kg	500 g - 5 kg	
Sugar Crops: Sugarcane, Sugar Beet	1 kg - 5 kg	500 g - 2.5 kg	
Oil Crops: Sunflower, Canola	1 kg - 5 kg	500 g - 2.5 kg	
Ornamentals: Flowers, Lawns	1 kg - 5 kg	500 g - 2.5 kg	

**Plant
 Nutrition**