

# Safety Data Sheet

## Crop Man

SDS No: SDS 371/000

Effective Date: 16/09/2022

Revision no: 000

Product Code: 371

### SECTION 1

#### COMPANY AND CHEMICAL PRODUCT IDENTIFICATION

**Product Name:** Crop Man

**Chemical Identifier:** Manganese Nitrate

**Product Use:** Fertiliser

**Restrictions on use:** Agriculture

**Supplier:**

**In Line Trading 112 (Pty) Ltd. (Co. Reg. No. 2003/008663/07)**

Cedar Lake Industrial Estate,

C/O M57 & Porcelain Roads, Olifantsfontein, 1666, Gauteng, RSA

**Telephone:**

(011) 392 4072

**Website:**

[www.nutrigo.co.za](http://www.nutrigo.co.za)

#### **Emergency Contact Numbers**

Griffon Poison Information:

+27 82 446 8946

### SECTION 2

#### HAZARDS IDENTIFICATION

Classification as defined by Regulation (EC) 1272/2008 [CLP] EU & SANS 10234:2008

Hazard Classes	Hazard Category	Hazard Statement Code	Hazard Statements
<b>Health</b>			
Acute toxicity (oral)	4	H302	Harmful if swallowed
Acute toxicity (dermal)	-	-	-
Acute toxicity (inhalation)	-	-	-
Skin corrosion/irritation	1	H314	Causes severe skin burns and eye damage
Serious eye damage/eye irritation	1	H318	Causes serious eye damage
Reproductive toxicity	-	-	-
Specific target organ toxicity (Repeated Exposure)	2	H373	May cause damage to organs through prolonged or repeated exposure
<b>Environmental</b>			
Aquatic (acute)	-	-	-
Aquatic (chronic)	-	-	-

**Label elements:** labelling as defined by Regulation (EC) 1272/2008 [CLP] EU & SANS 10234:2008

#### **Hazard pictograms**



**Signal word -** Danger

## Precautionary statements

P301+P317	IF SWALLOWED: Get medical help.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264+P265	Wash hands thoroughly after handling. Do not touch eyes.
P280	Wear protective gloves/protective clothing/eye protection/face protection
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P361+P354	IF ON SKIN: Take off Immediately all contaminated clothing. Immediately rinse with water for several minutes.
P363	Wash contaminated clothing before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P316	Get emergency medical help immediately.
P305+P354+P338	IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container to in accordance with local regulation.
P319	Get medical help if you feel unwell.

**Special labelling of certain mixtures –** None known

**Other hazards –** None known

**Toxicity:** Classification according to GHS: Category 4

---

## SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

**Substance/Mixture:** Mixture

### Declared Active Ingredients:

Chemical name	CAS No.	EC No.	Conc. %w/w	Classification Regulation (EC) 1272/2008
Manganese Nitrate	10377-66-9	233-828-8	<50%	H302, H314, H318, H373

---

## SECTION 4 FIRST AID MEASURES

**INHALATION:** This product is not deemed to be an inhalation toxicant, however, in cases of inhalation toxication, remove person from contaminated area to fresh air.

**SKIN:** If in contact with skin, remove contaminated clothing and shoes. Gently wipe off excess chemical. Wash skin gently and thoroughly with water and non-abrasive soap. Seek medical attention immediately.

**EYES:** If in contact with eyes, flush eyes with clean water for at least 15 – 20 minutes. Lift eyelids to facilitate irrigation. If present, remove contact lenses after 5 minutes and continue rinsing. Seek medical attention immediately.

**INGESTION:** This product is not deemed to be an ingestion toxicant; however, care needs to be taken when handling this product. In cases of ingestion, do not induce vomiting. Never give anything by mouth to an unconscious person. Obtain medical attention immediately. Qualified medical personnel should perform administration of oxygen. If the person is alert, rinse mouth thoroughly with water and give person large volumes

of water or milk to drink. When vomiting occurs, keep head lower than hips to prevent aspiration.

**IMPORTANT ACUTE EFFECTS:** Harmful if swallowed  
Causes severe skin burns and eye damage  
Causes serious eye damage

**IMPORTANT DELAYED EFFECTS:** May cause damage to organs through prolonged or repeated exposure.

**NOTE TO PHYSICIAN:** This product contains Manganese Nitrate, Manganese Sulphate, and Fulvic Acid, treat symptomatically and supportively.

---

### **SECTION 5** **FIRE FIGHTING MEASURES**

**Suitable Extinguishing Media:** Use dry chemical, water fog or foam.

**Unsuitable Extinguishing Media:** High volume water jet.

**Specific hazards:** None.

**Special Fire Fighting Procedures:** Remove spectators from surrounding area. Isolate the fire area and evacuate all personnel downwind of the fire. Fight fire from maximum distance and use unmanned hose holder or monitor nozzles. Keep upwind. Remove container from fire area if possible and without risk. Do not use high volume water jet, due to contamination risk. Do not scatter the burning material. Water can be used to cool unaffected containers but must be contained for later disposal. Contain fire control agents for later disposal. Avoid pollution of waterways by run-off from the site.

**Personal protective equipment:** Wear NIOSH/MSHA approved self-contained breathing apparatus and full protective gear.

---

### **SECTION 6** **ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** Do not breathe in spray mist or fumes. Ventilate area of spill or leak, especially in contained areas.

**Protective equipment:** Refer to Section 8 for personal protective equipment to be worn during containment and clean-up of a spill involving this product.

**Emergency procedures:** Alert firefighting personnel, evacuate unprotected personnel and animals.

**Environmental Precautions:** Prevent spilled product from entering sewers, waterways or ground water. Any spillages or uncontrolled discharges into water sources should be reported immediately to the police and the Department of Water/Environmental Affairs.

**Methods & Materials for Containment:** Contain spilled product by diking area with sand or earth.

**Methods & Materials for Clean-up:** Cover contained spill with an inert absorbent material such as sand, vermiculite, earth or other appropriate material. Vacuum,

scoop, or sweep up material and place the material into a clean, dry, sealable container. Label containers with the contents and dispose of according to local regulations. Do not place spilled material back in original container. Do not re-use spill material. Collect washings and add to the drums already collected. Do not flush spilled material or washings into drains or waterways. To decontaminate the spill area, tools and equipment, wash with water and suitable detergent. See section 13 for disposal considerations.

---

## **SECTION 7** **HANDLING AND STORAGE**

### **HANDLING**

#### **Precautions for safe handling:**

Ensure adequate ventilation during handling and use. Do not handle broken packages without protective equipment. Immediately clean up spills that occur during handling. Keep containers closed when not in use.

#### **General occupational hygiene:**

Practice good hygiene when using this material. Wash hands before eating, drinking, chewing gum, smoking, using the toilet or applying cosmetics. Worker should shower at the end of each workday. Launder all clothing before it is re-used

### **STORAGE**

#### **Conditions for safe storage:**

Keep out of reach of unauthorised persons, children and animals. Store in its original, labelled container, tightly closed, in an isolated, dry, cool and well-ventilated area. Avoid direct sunlight for prolonged periods, don't let product freeze. Not to be stored next to foodstuffs, feed and water supplies.

**Incompatible substances and mixtures:** Strong oxidizing agents.

**Packaging material:** Plastic containers and drums.

---

## **SECTION 8** **EXPOSURE CONTROLS AND PERSONAL PROTECTION**

#### **Occupational exposure limits:**

No occupational exposure limits have been determined for the significant ingredients in this product.

#### **ENGINEERING CONTROLS:**

It is essential to provide adequate ventilation. The measures appropriate for a particular worksite depend on how this material is used and on the extent of exposure. Local Exhaust: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OELs or other specified exposure limits. Local exhaust ventilation is preferred. Ensure that control systems are properly designed and maintained. Comply with occupational safety, environmental, fire, and other applicable regulations.

## PERSONAL PROTECTIVE EQUIPMENT

<b>Respiratory Protection:</b>	For most well-ventilated conditions, no respiratory protection should be needed. If used in a poorly ventilated area, use a NIOSH approved air-purifying respirator.
<b>Hand Protection:</b>	The use of chemically protective gloves is recommended to prevent against skin contact.
<b>Eye Protection:</b>	The use of chemical safety goggles is recommended to prevent against eye contact. Contact lenses are not protective eye devices.
<b>Skin and Body Protection:</b>	Wear appropriate protective clothing; boots, hat and equipment to prevent repeated or prolonged skin contact with this substance.
<b>Emergency eyewash:</b>	Where there is any possibility that a handler's eyes may be exposed to this substance; an eye wash fountain should be provided or appropriate alternative within the immediate work area for emergency use.

---

### **SECTION 9** **PHYSICAL AND CHEMICAL PROPERTIES**

<b>Property</b>	<b>Value/description</b>	<b>Method</b>
Physical state	Liquid	Visual
Colour	Clear to dark	Munsell
Odour	Slight acidic	Organoleptic
pH (1% aqueous dilution)	Strong acidic	CIPAC MT 75.3
Melting/Freezing point	Not available	
Boiling point	Not available	
Flash point	Not available	
Flammability	Not available	
Vapour pressure	Not available	
Relative Vapour Density	Not available	
Density	1.00 – 1.45 g/mL	Pycnometer
Solubility	Not available	
n-Octanol/Water partition coefficient	Not available	
Auto-ignition temperature	Not available	
Decomposition temperature	Not available	
Viscosity	Not available	
Explosive properties	Not explosive	
Oxidising properties	Not oxidative	

---

### **SECTION 10** **STABILITY AND REACTIVITY**

<b>Chemical Stability:</b>	The product is stable for two years at ambient temperature and pressure, under normal storage and handling conditions. Avoid storage under extreme temperatures and conditions. Store below 50 °C, preferably below 30 °C, and not for prolonged periods in direct sunlight.
<b>Reactivity:</b>	None.
<b>Possibility of Hazardous Reactions:</b>	Can be made to burn under fire conditions.
<b>Conditions to Avoid:</b>	Extreme heat or exposure to flames.
<b>Incompatible Materials:</b>	Strong oxidizing agents.
<b>Hazardous Decomposition Products:</b>	Carbon Dioxide, Carbon Monoxide, and possibly irritating gases may form.

**SECTION 11**  
**TOXICOLOGICAL INFORMATION**

<b>GHS Classification:</b>	H302	Harmful if swallowed
	H314	Causes severe skin burns and eye damage
	H318	Causes serious eye damage
	H373	May cause damage to organs through prolonged or repeated exposure

Toxicity	Effective dose/ concentration	Value	Species	Method
Acute Oral	LD <sub>50</sub>	691 mg/kg		GHS ATE Calculation
Acute Dermal	LD <sub>50</sub>	>5000 mg/kg		
Acute Inhalation	LC <sub>50</sub>	>5 mg/L		
Skin irritation	Causes severe skin burns and eye damage			
Eye damage/irritation	Causes serious eye damage			
Skin sensitization	Not classified as a skin sensitizer			
Respiratory sensitization	Not classified as a respiratory sensitizer			
Mutagenicity/Genotoxicity:	Not classified as a mutagen and not genotoxic			
Carcinogenicity	Not classified as a carcinogen			
Reproductive toxicity	Not classified as a reproductive toxicant			
Single target organ toxicity:	May cause damage to organs through prolonged or repeated exposure			
Chronic effects (e.g developmental)	None known			

**SECTION 12**  
**ECOLOGICAL INFORMATION**

**GHS Classification:** None.

Toxicity	Effect dose/ concentration	Value	Test duration	Species	Method
<b>Aquatic</b>		Not available	-	-	-
Fish	LC <sub>50</sub>				
Crustacea	NOEC				
Algae	EC <sub>50</sub>				
	NOEC				
	EC <sub>50</sub>				
<b>Terrestrial</b>		Not available	-	-	-
Birds	LD <sub>50</sub>				
	LC <sub>50</sub>				
Bees	LD <sub>50</sub> (contact)				
	LD <sub>50</sub> (oral)				
Earthworms/Arthropods	-				

**ENVIRONMENTAL EFFECTS**

<b>Persistence and degradability:</b>	Persistence is unlikely.
<b>Bio-accumulative Potential:</b>	Not expected to bio-accumulate.
<b>Mobility in soil:</b>	Low soil adsorption ability.
<b>Other adverse effects:</b>	None known.

---

**SECTION 13**  
**DISPOSAL CONSIDERATIONS**

Hazardous waste according to Directive 2008/98/EC (waste framework directive).

**Waste:** Open dumping or burning of this product is prohibited. Waste resulting from the use of this product cannot be reused or re-processed. Never pour untreated waste or surplus product into public sewers or where there is any danger of run-off or seepage into water systems. Do not contaminate rivers, dams or any other water sources with the product or used containers. Comply with local legislation applying to waste disposal. The product may be taken to a registered waste disposal site or incineration plant.

**Container:** Emptied containers retain product residues. Do not re-use the empty container for any other purpose. Triple rinse empty containers by inverting the empty container over the spray or mixing tank and allow draining for at least 30 seconds after the flow has slowed down to a drip. Thereafter, rinse the container three times with a volume of water equal to a third of that of the container. Add the rinsing to the contents of the spray tank before destroying the container in the prescribed manner. Destroy the container by perforating and flattening and dispose of through an approved waste dump site, incineration plant or recycling company. Observe all labelled safeguards until container is destroyed.

---

**SECTION 14**  
**TRANSPORT INFORMATION**

**UN Number:** 1760

**Road Transport ADR/IRD:**

Class: 8

Packaging group: III

UN Proper Shipping Name: Corrosive Liquid, N.O.S.

**Maritime Transport IMDG/IMO:**

Class: 8

Packaging group: III

UN Proper Shipping Name: Corrosive Liquid, N.O.S.

Marine Pollutant (Y/N): No

**Air Transport IATA/ICAO:**

Class: 8

Packaging group: III

UN Proper Shipping Name: Corrosive Liquid, N.O.S.

**Special/Environmental Precautions:** None.

**Transport in bulk:** Not available.

---

**SECTION 15**  
**REGULATORY INFORMATION**

**Safety, health and environmental regulations/legislation for the mixture:** OHS 1993 Regulations for Hazardous Chemical Substances.

**Relevant information regarding restrictions:** None.

**EU regulation:** Regulation EC1272/2008

**Other national regulations:** None.

**Chemical Safety Assessment carried out:** No chemical safety assessment was carried out for this product.

---

**SECTION 16**  
**OTHER INFORMATION**

**PACKAGING:** Packed in 5 and 25 L plastic containers and drums, labelled according to South African regulations and guidelines.

**DISCLAIMER:**

The information on this sheet is not a specification; it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage and use of the product. It is not applicable to unusual or non-standard uses of the product nor where instructions or recommendations are not followed. All information is given in good faith but without guarantee in respect of accuracy, and no responsibility is accepted for errors and omissions or the consequence thereof.